# Umer Physio

### **Tennis Elbow Exercises**

#### Wrist Flexor Stretch

- Straighten elbow completely.
  With palm facing up, grasp the Middle of hand and thumb.
   Pull wrist down until mild stretch is felt.
- Hold for 30 seconds.

5. Release and repeat 3 times.
 6. Perform exercises two times each day.



#### Wrist Extension with Weights

1. The forearm should be supported on a table with hand off edge and palm should face downward.

 Using a weight, lower the hand as far as possible then curl wrist up as high as possible.
 Repeat 30 times.
 Perform exercise one time


each day.



#### Wrist Pronation with Weights

 The forearm should be supported on a table with wrist in neutral position.
 Using a weight or hammer held in a normal hammering position, roll wrist and bring hammer into pronation as far as possible
 Hold for 2 seconds.
 Raise back to starting

position and repeat.



## Radial / Ulnar Deviation with Weights

- 1. The forearm should be supported on a table with wrist in neutral position and hand off of table.
- 2. Using a weight or hammer held in a normal hammering position, roll wrist and bring hammer into ulnar deviation as far as possible.
- 3. Then bring into radial deviation
- as far as possible.
- 4. Raise back to starting
- Position and repeat.



#### Wrist Extensor Stretch

 Straighten elbow completely.
 With palm facing down, grasp the back of the hand.

- 3. Pull wrist down until mild
- stretch is felt.
- 4. Hold for 30 seconds.
- 5. Release and repeat 3 times.
- 6. Perform exercises two times each day.




#### Wrist Flexion with Weights

 The forearm should be supported on a table with hand off edge and palm should face upward.
 Using a weight, lower the hand as far as possible then curl wrist up as high as possible.
 Repeat 30 times.
 Perform exercise one time each day.



#### Wrist Supination with Weights

- The forearm should be supported on a table with wrist in neutral position.
   Using a weight or hammer held in a normal hammering position, roll wrist and bring hammer into full supination as far as possible
   Hold for 2 seconds.
- 4. Raise back to starting position and repeat.



These exercises are to be performed \_\_\_\_\_\_\_times per week / day. Begin with 3 sets of 10 repetitions and progress to 5 sets of 10 repetitions. Progress your weight as tolerated (i.e.-5 sets of 10 repetitions completed easily with specific weight,

you will increase by 1# and decrease you exercise to 3 sets of 10 repetitions). You will progress to 5 sets of 10 repetitions again and repeat the same process until you can perform 5 sets of 10 repetitions with 5#. You do NOT want to exceed 5# on these exercises at any time.

After performing your exercises, ice your wrist for 15-20 minutes.